

# SAFETY DATA SHEET




Farbatone®

PRODUCT NAME: SPU  
PRINT DATE: 30-05-22  
VERSION:1.0

## SECTION 1: IDENTIFICATION OF PRODUCT AND COMPANY/UNDERTAKING

Product Name	SPU
Use	Silk screen printing ink
Company Name	Spinks India
Company Address	Plot No. 135,Pace city-1, sec-37 ,Gurgaon-122001, Haryana, India
Department responsible Contact email id/ Telephone	Product safety psm@spinksworld.com +91-124-4770500

## SECTION 2: HAZARD IDENTIFICATION

GHS Classification Single word: Danger	
	H225 Highly Flammable Liquid and Vapor.
	H302 Harmful if Swallowed H315 Causes Skin Irritation H319 Causes Serious Eye Irritation H335 May Cause Respiratory Irritation
	H304 May be fatal if swallowed and enters airways H360 May damage fertility or the unborn child H371 May damage to Organs H372 Causes damage to organs through prolonged or repeated exposure

Major hazard effect

Hazard warning for health: Faint /Vomit /Headache/Mondayish

Hazard warning regarding ingestion: Harmful to ingest; May cause drowsiness or dizziness.

## SECTION 3: COMPOSITION / INGREDIENT INFORMATION

Component Name	CAS No.	Composition (% by weight)
Chlorinated rubber	9006-03-5	25 ~ 30 %
Trimethyl Benzene	108-67-8	50 ~ 70 %
Silicone	63148-62-9	25 ~ 30 %

# **SAFETY DATA SHEET**



**PRODUCT NAME:** SPU  
**PRINT DATE:** 30-05-22  
**VERSION:**1.0

## **SECTION 4: FIRST AID MEASURES**

### **Skin Contact**

Remove contaminated clothing and shoes

Immediately wash skin with plenty of water and soap for at least 15 minutes and get medical attention

### **Eye Contact**

Immediately and thoroughly flush the eye with large amounts of water at least 15 minutes and get medical attention.

If not removed promptly, this material may cause serious eye damage.

Part eyelids with fingers to assure complete flushing.

Check for and remove contact lenses if easily possible.

### **Ingestion**

Do not induce vomiting. Get medical attention immediately.

Rinse mouth with water if possible.

Never give anything by mouth to an unconscious person.

### **Inhalation**

Remove to fresh air. If not breathing, give artificial respiration.

If breathing is difficult, give oxygen.

Keep the affected person warm and at rest. Get Medical attention immediately.

## **SECTION 5: FIRE – FIGHTING MEASURES**

Extinguishing Media	Water fog, foam, dry chemicals, CO2, dry sand
Extinguishing Media which must not be used	Water Jet
Fire Fighting Instruction	Keep unnecessary and unprotected personnel away Shut off supply if possible. Remove containers to safe place if possible. Keep containers and surroundings cool by spraying with water. Fight fire from an upwind position
General Hazard	Flammable liquid and vapour. Vapours may form and explosive mixture with air. The vapour is heavier than air and can accumulate near the ground

# SAFETY DATA SHEET



PRODUCT NAME: SPU  
PRINT DATE: 30-05-22  
VERSION:1.0

## SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precaution	Keep unnecessary and unprotected personnel away. Remove all sources of ignition. Wear appropriate personal protective equipment as specified in Section 9. Keep upwind, evacuate people downwind.
Environmental Protections	Do not let this chemical enter the environment
Clean-up Methods	Use non-sparking tools and equipment Absorb or cover with dry earth, sand or other non-combustible material and transfer to sealable containers. Large spills: Dike far ahead of liquid spill for later disposal.

## SECTION 7: HANDLING AND STORAGE

Technical Measures	Use only with adequate ventilation. Keep away from heat, spark and flame. Use explosion-proof electrical equipment. Take precautions against build-up of electrostatic charges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Avoid contact with eyes, skin and clothing. Provide hand and eyes wash station near work area. Wash thoroughly after handling
Precautions	Use only under local exhaust or general ventilation.
Storage Conditions	Protect from direct sunlight Keep away from heat, flame, and all sources of ignition. Store in well-ventilated area. Keep container tightly closed. Store in a segregated and approved area

## SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

Control parameters	The use of closed system or local exhaust ventilation is recommended.
Engineering Controls	Provide general ventilation Provide safety shower and eye wash station near work area
Personal Protective equipment	Respiratory protection: Wear appropriate respirator when ventilation is inadequate. Hand Protection: Protective gloves. Eye protection: Safely glasses, goggles. Protective clothing: Safety helmet, protective clothing, safety boots, apron.

# SAFETY DATA SHEET

Farbatone®

PRODUCT NAME: SPU  
PRINT DATE: 30-05-22  
VERSION:1.0

## SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance	Tremolos
Form	Liquid jelly
Odor	Smell arene
Boiling Point	145-205 °C (Reference)
Flash Point	20.1 °C
Flammable Limits LEL UEL (Reference)	1.4 ~ 11.5 %
Vapor Pressure (Reference)	
Vapor Density	
Specific Gravity	White 1.2; color 1.2-1.3
Color	Various colors
pH	5-7
N-octanol/water partition coefficient:	
Auto-ignition temperature:	
Decomposition temperature:	Decompose not easily
Solubility in Water	Insoluble
Fire point	420 °C

## SECTION 10: STABILITY AND REACTIVITY

Stability	Stable at normal temperatures and storage conditions.
Incompatible materials and conditions to avoid	Avoid contact with oxidizing materials such as peroxides, Chlorates, permanganates.
Hazardous Decomposition products	Thermal decomposition may produce various hydrocarbons and irritating, acid vapours.
Hazardous Polymerization	NOx, CO, Low molecular weight monomer etc.

## SECTION 11: TOXICOLOGICAL INFORMATION

Inhalation	Vapor concentrations may be irritating to the eye and respiratory tract, and may cause headaches and dizziness
Skin Contact	Low order of toxicity, Frequent or prolonged contact may defat the dry skin leading to discomfort and dermatitis
Eye Contact	Will cause eye discomfort, may injure the eye tissue if do not remove immediately
Ingestion	Small amount of liquid aspirated into the respiratory system during ingestion or from vomiting may cause bronchopneumonia or pulmonary edema. Minimum toxicity.

# **SAFETY DATA SHEET**



**PRODUCT NAME: SPU**  
**PRINT DATE: 30-05-22**  
**VERSION:1.0**

## **SECTION 12: ECOLOGICAL INFORMATION**

Environmental	This substance is highly volatile and will rapidly evaporate to the air mobility if released into the environment
Environmental Degradation	This substance does not biodegradable rapidly due to its low water solubility.
Precaution	When leaking and abandoning it, handling is noted because it might influence the environment. Deal so that neither the product nor the rinse water may flow to ground, the river and the drain ditch.

## **SECTION 13: DISPOSAL CONSIDERATION**

Waste from Residues	This product is not suitable for disposal by either landfill or via municipal sewers, drains, natural streams or rivers. Whatever cannot be saved for recovery may be burned in an approved incinerator or disposed in approved waste facility. Ensure compliance with local, state, federal and national regulation.
Contaminated Packaging	Empty the container completely before disposal

## **SECTION 14: TRANSPORT INFORMATION**

UN Number	1210: Printing ink
UN Classification	3: Flammable Liquid
Packing Group	III
ADR / RID Classification	3: Flammable Liquid
IMO / IMDG Classification	3: Flammable Liquid
ICAO / IATA Classification	3: Flammable Liquid

## **SECTION 15: ECOLOGICAL INFORMATION**

Apply Regulation: Standard Execution No. Q/ZYYM01-2002

## **SECTION 16: OTHER INFORMATION**

This information relater only to the material mentioned above. This information is believed to be accurate and reliable as of the date indicated. However, no representation, warranty or guarantee is made as to its accuracy, reliability, or completeness. It is the use's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.